

FERRUM TRADING INC.

3515 Preston Rd., Suite 102
Pasadena, TX 77505
Tele (713) 487-6694 Fax (713) 487-0912

May 13, 1992

Ms. Donna Mullins
U.S. Environmental Protection Agency
Region VI Office
1445 Ross Avenue
Dallas, Texas 75202

Re: Completion Report for Removal of PCB-Affected Materials from
the Former Rink Corporation Site in Sealy, Texas

Dear Ms. Mullins:

The purpose of this letter is to inform you that we have transmitted to your staff (specifically, Mr. Jeff Robinson) one copy of the final Completion Report which documents the cleanup of the PCB-affected soils from the former Rink Corporation site located in Sealy, Texas. The cleanup was conducted in accordance with the 1.0 ppm standard set forth in your letter dated December 17, 1990. Ferrum Trading, Inc., acting through our agent, Southwest Construction Managers, Inc., disposed of all soils having PCB concentrations at or above 1.0 ppm at the (TSCA permitted) U.S. Pollution Control, Inc. landfill in Clive, Utah. Field work was completed in November, 1991.

Should you or your staff have any questions, please call me at (713) 487-6694.

Sincerely,

FERRUM TRADING, INC.


Mark J. Jackson

Mark J. Jackson/sms:AG686130-E92
Enclosure

cc: Jeff Robinson, EPA Region VI, (w/o Appendices)
Anne C. Dobbs, Texas Water Commission (transmittal only)
Tom Weber, Texas Water Commission
Robert Musik, Texas Water Commission, SER-DP
(w/o Appendices)
John Maresh, City of Sealy
Brent Jones, Southwest Construction Managers, Inc.
Richard Bost, ERM-Southwest, Inc. (w/o Appendices)
Daniel Simeone, ERM-Southwest, Inc.
Philip Tritico, ERM-Southwest, Inc. (w/o Appendices)

SOUTHWEST CONSTRUCTION MANAGERS, INC.
16300 Katy Freeway, Suite 301
Houston, Texas 77094
(713) 579-8999

Prepared by:

Job No. 2004-01

May 13, 1992

Volume II

Ferrum Trading Incorporated

Prepared for

COMPLETION REPORT FOR REMOVAL OF
PCB-AFFECTED MATERIALS
FROM THE FORMER RINK CORPORATION SITE
IN SEALY, TEXAS



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: B448
Matrix: Soil

GSAI Sample: 29029
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	14.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: B548
Matrix: Soil

GSAI Sample: 29030
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	16.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: C148
Matrix: Soil

GSAI Sample: 29035
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	14.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: C248
Matrix: Soil

GSAI Sample: 29034
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: C348
Matrix: Soil

GSAI Sample: 29033
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: C448
Matrix: Soil

GSAI Sample: 29032
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	14.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: C548
Matrix: Soil

GSAI Sample: 29031
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	20.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5046

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: D148
Matrix: Soil

GSAI Sample: 29319
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	14.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: D248
Matrix: Soil

GSAI Sample: 29318
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: D348
Matrix: Soil

GSAI Sample: 29313
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: D448
Matrix: Soil

GSAI Sample: 29312
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: D548
Matrix: Soil

GSAI Sample: 29307
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	15.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: E148
Matrix: Soil

GSAI Sample: 29320
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: E248
Matrix: Soil

GSAI Sample: 29317
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: E348
Matrix: Soil

GSAI Sample: 29314
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	15.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: E448
Matrix: Soil

GSAI Sample: 29311
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: E548
Matrix: Soil

GSAI Sample: 29308
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	18.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: F148
Matrix: Soil

GSAI Sample: 29321
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: F248
Matrix: Soil

GSAI Sample: 29316
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	10.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5046

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: F348
Matrix: Soil

GSAI Sample: 29315
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: F448
Matrix: Soil

GSAI Sample: 29310
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: F548
Matrix: Soil

GSAI Sample: 29309
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: G148
Matrix: Soil

GSAI Sample: 29323
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: G248
Matrix: Soil

GSAI Sample: 29322
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	9.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: G348
Matrix: Soil

GSAI Sample: 29324
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: G448
Matrix: Soil

GSAI Sample: 29325
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX


Sample ID: G548
Matrix: Soil

GSAI Sample: 29329
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: H148
Matrix: Soil

GSAI Sample: 29336
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	9.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: H248
Matrix: Soil

GSAI Sample: 29337
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	9.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: H348
Matrix: Soil

GSAI Sample: 29338
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	9.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: H448
Matrix: Soil

GSAI Sample: 29326
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: H548
Matrix: Soil

GSAI Sample: 28906
GSAI Group: 5114
Date Reported: 09/16/91
Discard Date: 10/16/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	17.8	%	0.1	09/18/91	JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	> 1.0	mg/kg	0.160	09/16/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: H648
Matrix: Soil

GSAI Sample: 28904
GSAI Group: 5114
Date Reported: 09/16/91
Discard Date: 10/16/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	18.8	%	0.1	09/18/91 JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	> 1.0	mg/kg	0.160	09/15/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: I148
Matrix: Soil

GSAI Sample: 29335
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	10.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX


Sample ID: I248
Matrix: Soil

GSAI Sample: 29334
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	10.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

300


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: I348
Matrix: Soil

GSAI Sample: 29333
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	10.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	> 1.0	mg/kg	0.50	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

GULF STATES ANALYTICAL, INC.
5452 Northwest Freeway, Suite 112
Houston, Texas 77041
Tel: (713) 692-4444, Fax: (713) 692-5646

ANALYSIS REPORT
(Revised 02/11/92)

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: I448
Matrix: Soil

GSAI Sample: 29327
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	9.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	1.0	mg/kg	0.50	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: I548
Matrix: Soil

GSAI Sample: 28907
GSAI Group: 5114
Date Reported: 09/16/91
Discard Date: 10/16/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/13/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: I648
Matrix: Soil

GSAI Sample: 28903
GSAI Group: 5114
Date Reported: 09/16/91
Discard Date: 10/16/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/13/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin
Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5046

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: J148
Matrix: Soil

GSAI Sample: 29330
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	8.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.50	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: J248
Matrix: Soil

GSAI Sample: 29331
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: J348
Matrix: Soil

GSAI Sample: 29332
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	10.0	%	0.1	09/20/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.50	09/19/91	LG

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX


Sample ID: J448
Matrix: Soil

GSAI Sample: 29328
GSAI Group: 5178
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 09/18/91
Date Sampled: 09/18/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/19/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

308


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: J548
Matrix: Soil

GSAI Sample: 28847
GSAI Group: 5098
Date Reported: 09/20/91
Discard Date: 10/20/91
Date Submitted: 09/10/91
Date Sampled: 09/10/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/11/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: J648
Matrix: Soil

GSAI Sample: 28905
GSAI Group: 5114
Date Reported: 09/16/91
Discard Date: 10/16/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.5	%	0.1	09/18/91	JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/15/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

16000 Memorial Drive, Suite 112
Houston, TX 77079 (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Brent Jones
Project: Otto Wolff, Sealy, TX

Sample ID: K148
Matrix: Soil

GSAI Sample: 30584
GSAI Group: 5404
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	19.1	%	0.1	10/18/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91	RK

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

16000 Memorial Drive, Suite 110
Houston, TX 77079
TEL (713) 692-4444 FAX (713) 692-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Brent Jones
Project: Otto Wolff, Sealy, TX


Sample ID: K248
Matrix: Soil

GSAI Sample: 30585
GSAI Group: 5404
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	17.6	%	0.1	10/18/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91	RK

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: K348
Matrix: Soil

GSAI Sample: 29996
GSAI Group: 5301
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 10/03/91
Date Sampled: 10/03/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	14.5	%	0.1	10/08/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/04/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: K548
Matrix: Soil

GSAI Sample: 28846
GSAI Group: 5098
Date Reported: 09/20/91
Discard Date: 10/20/91
Date Submitted: 09/10/91
Date Sampled: 09/10/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.6	%	0.1	09/16/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	> 1.0	mg/kg	0.160	09/15/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

16000 Memorial Drive, Suite 112
Houston, TX 77079
(713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Brent Jones
Project: Otto Wolff, Sealy, TX

Sample ID: L148
Matrix: Soil

GSAI Sample: 30587
GSAI Group: 5404
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	15.9	%	0.1	10/18/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91	RK

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

Strid Drive, Suite 110

713 692-4444, FAX 713 692-5046

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Brent Jones
Project: Otto Wolff, Sealy, TX


Sample ID: L248
Matrix: Soil


GSAI Sample: 30586
GSAI Group: 5404
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order: .
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	17.9	%	0.1	10/18/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91	RK

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

316


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5452 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: L348
Matrix: Soil

GSAI Sample: 29997
GSAI Group: 5301
Date Reported: 10/10/91
Discard Date: 11/09/91
Date Submitted: 10/03/91
Date Sampled: 10/03/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	12.1	%	0.1	10/08/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/04/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: L448
Matrix: Soil

GSAI Sample: 28924
GSAI Group: 5114
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	15.6	%	0.1	09/18/91 JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/16/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5640

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX


Sample ID: L548
Matrix: Soil

GSAI Sample: 28845
GSAI Group: 5098
Date Reported: 09/20/91
Discard Date: 10/20/91
Date Submitted: 09/10/91
Date Sampled: 09/10/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/11/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: L648
Matrix: Soil

GSAI Sample: 28844
GSAI Group: 5098
Date Reported: 09/20/91
Discard Date: 10/20/91
Date Submitted: 09/10/91
Date Sampled: 09/10/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date		Analyst
				Limit of Quantitation	Extracted/ Analyzed	
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/11/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Wili R. Durbin
Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: M348
Matrix: Soil

GSAI Sample: 29532
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	17.4	%	0.1	09/25/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: M448
Matrix: Soil

GSAI Sample: 28919
GSAI Group: 5114
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	18.3	%	0.1	09/18/91 JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/16/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: M648
Matrix: Soil

GSAI Sample: 28963
GSAI Group: 5126
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/12/91
Collected by: OJC
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.1	%	0.1	09/16/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/14/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: N148
Matrix: Soil

GSAI Sample: 29529
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	13.7	%	0.1	09/25/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas


Sample ID: N248
Matrix: Soil

GSAI Sample: 29530
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	14.7	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



Gulf States Analytical, Inc.
1450 N. Highway 101, Suite 100
Houston, Texas 77060-1140

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: N348
Matrix: Soil

GSAI Sample: 29531
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	17.8	%	0.1	09/25/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: N448
Matrix: Soil

GSAI Sample: 28918
GSAI Group: 5114
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	18.2	%	0.1	09/18/91	JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/16/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: N648
Matrix: Soil

GSAI Sample: 28962
GSAI Group: 5126
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/12/91
Collected by: OJC
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/14/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: 0148
Matrix: Soil

GSAI Sample: 29528
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	17.2	%	0.1	09/25/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: 0248
Matrix: Soil

GSAI Sample: 29527
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date		
				Limit of	Extracted/	Analyst
				Quantitation	Analyzed	
0111	Moisture Method: EPA 160.3	14.5	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: 0348
Matrix: Soil

GSAI Sample: 29526
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	18.2	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:



Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: 0448
Matrix: Soil

GSAI Sample: 29025
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	21.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:



Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel Simeone
Project: Otto Wolff Sealy, Tx

Sample ID: 0548
Matrix: Soil

GSAI Sample: 28920
GSAI Group: 5114
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/11/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	15.7	%	0.1	09/18/91	JW
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/16/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: 0648
Matrix: Soil

GSAI Sample: 28961
GSAI Group: 5126
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/12/91
Collected by: OJC
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	13.9	%	0.1	09/16/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/14/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: P148
Matrix: Soil

GSAI Sample: 29525
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	16.9	%	0.1	09/25/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin
Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: P248
Matrix: Soil

GSAI Sample: 29524
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	21.0	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: P348
Matrix: Soil

GSAI Sample: 29523
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	17.8	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin
Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5640

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: P448
Matrix: Soil

GSAI Sample: 29024
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	15.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

GULF STATES ANALYTICAL, INC.
5470 MEMORIAL DRIVE
HOUSTON, TEXAS 77057-1010

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: P548
Matrix: Soil

GSAI Sample: 28470
GSAI Group: 5027
Date Reported: 09/10/91
Discard Date: 10/10/91
Date Submitted: 08/30/91
Date Sampled: 08/30/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	12.0	%	0.1	09/03/91	GR
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/02/91	DE

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: P648
Matrix: Soil

GSAI Sample: 28960
GSAI Group: 5126
Date Reported: 09/19/91
Discard Date: 10/19/91
Date Submitted: 09/12/91
Date Sampled: 09/12/91
Collected by: OJC
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.3	%	0.1	09/16/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/14/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: Q148
Matrix: Soil

GSAI Sample: 29520
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	17.3	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin

Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: Q248
Matrix: Soil

GSAI Sample: 29521
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	17.0	%	0.1	09/25/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin

Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: Q348
Matrix: Soil


GSAI Sample: 29522
GSAI Group: 5208
Date Reported: 09/27/91
Discard Date: 10/27/91
Date Submitted: 09/21/91
Date Sampled: 09/21/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	15.5	%	0.1	09/25/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/24/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:



Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 112
Houston, Texas 77092, (713) 690-4444 FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: Q448
Matrix: Soil

GSAI Sample: 29023
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



GULF STATES ANALYTICAL, INC.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77092, (713) 690-4444, FAX (713) 690-5040

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: Q548
Matrix: Soil

GSAI Sample: 29022
GSAI Group: 5137
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 09/13/91
Date Sampled: 09/13/91
Collected by: DM
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.0	%	0.1	09/16/91	SUB
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.10	09/15/91	SUB

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: Q648
Matrix: Soil

GSAI Sample: 28469
GSAI Group: 5027
Date Reported: 09/10/91
Discard Date: 10/10/91
Date Submitted: 08/30/91
Date Sampled: 08/30/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, as Received	> 1.0	mg/kg	0.160	09/02/91	DE

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

16000 Memorial Drive Suite 111,
Houston, Texas 77079 (713) 690-4444 FAX (713) 690-5640

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff, Sealy, TX

Sample ID: A160
Matrix: Soil

GSAI Sample: 30574
GSAI Group: 5403
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.5	%	0.1	10/18/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Dan Simeone
Project: Otto Wolff, Sealy, TX

Sample ID: A360
Matrix: Soil

GSAI Sample: 30578
GSAI Group: 5403
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed
0111	Moisture Method: EPA 160.3	11.7	%	0.1	10/18/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

343


Damien E. Durbin Ph.D.
Project Manager

5450 Northwest Central Drive, Suite 112
Houston, Texas 77062 (713) 690-4444 FAX (713) 690-5040

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff Sealy, TX

Sample ID: A4N60
Matrix: Soil

GSAI Sample: 30717
GSAI Group: 5441
Date Reported: 10/21/91
Discard Date: 11/20/91
Date Submitted: 10/18/91
Date Sampled: 10/18/91
Collected by: BLC
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	11.5	%	0.1	10/22/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/20/91	RK

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager



5450 Northwest Central Drive, Suite 110
Houston, Texas 77022, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079

Attn: Mr. Daniel P. Simeone
Project: Otto Wolff Sealy, Texas


Sample ID: A460
Matrix: Soil

GSAI Sample: 30160
GSAI Group: 5327
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 10/07/91
Date Sampled: 10/07/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Date	
				Limit of Quantitation	Extracted/ Analyzed Analyst
0111	Moisture Method: EPA 160.3	14.2	%	0.1	10/09/91 RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/07/91 MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

Damien E. Durbin, Ph.D.
Project Manager



Gulf States Analytical, Inc.
5450 Northwest Central Drive, Suite 110
Houston, Texas 77042, (713) 690-4444, FAX (713) 690-5646

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Daniel P. Simeone
Project: Otto Wolff Sealy, Texas

Sample ID: A560
Matrix: Soil

GSAI Sample: 30165
GSAI Group: 5327
Date Reported: 10/09/91
Discard Date: 11/08/91
Date Submitted: 10/07/91
Date Sampled: 10/07/91
Collected by: DS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	15.3	%	0.1	10/09/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/07/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:


Damien E. Durbin, Ph.D.
Project Manager

ANALYSIS REPORT

Southwest Construction Managers
16000 Memorial Drive Suite 200
Houston, TX 77079


Attn: Mr. Dan Simeone
Project: Otto Wolff, Sealy, TX

Sample ID: B260
Matrix: Soil

GSAI Sample: 30576
GSAI Group: 5403
Date Reported: 10/18/91
Discard Date: 11/17/91
Date Submitted: 10/16/91
Date Sampled: 10/16/91
Collected by: DPS
Purchase Order:
Project No.: 130-15

Test	Analysis	Results	Units	Limit of Quantitation	Date Extracted/ Analyzed	Analyst
0111	Moisture Method: EPA 160.3	13.7	%	0.1	10/18/91	RM
1216	Polychlorinated Biphenyls, Solids Method: SW-846 8080 PCB's, Dry Weight Basis	< 1.0	mg/kg	0.160	10/17/91	MD

Respectfully Submitted,
Gulf States Analytical, Inc.
Reviewed and Approved by:

354 
Damien E. Durbin, Ph.D.
Project Manager